

# Script Collection

---

All script files can be found under "Programs->Reushtools->Scripts". Are you looking for a specific script to automate your operations, did you find any bugs or suggestions for improvement? Don't hesitate to contact free support ([support@reushtools.com](mailto:support@reushtools.com)). Almost everything is possible!

# Contents

---

1: Backup	4
1.1 AutoBackupOFF.cmd	4
1.2 AutoBackupON.cmd	4
1.3 BackupMyData.cmd	5
1.4 InterSave.cmd	5
1.5 RestoreMyData.cmd	6
2: Computer	7
2.1 ActivAdmin.ps1	7
2.2 AppControl.ps1	7
2.3 DeskTune.cmd	7
2.4 InstallClean.cmd	8
2.5 OneDriveControl.ps1	11
2.6 PhotoViewer.cmd	11
2.7 RecoverySetup.cmd	12
2.8 RenamePc.ps1	14
2.9 TuneUp.cmd	14
2.10 UpdateControl.ps1	16
3: ContextMenu	17
3.1 AdminTools.cmd	17
3.2 Extended.cmd	19
3.3 ListDirectory.cmd	21
3.4 Mirror.cmd	23
3.5 UnPack.cmd	24
3.6 ZipInfoRemove.cmd	24
3.7 ZipInfoSet.cmd	25

4: EfsKey	26
4.1 EfsKeyImport.cmd	26
4.2 EfsKeySave.cmd	26
5: Lazy	28
5.1 TeaTime.bat	28
6: User	29
6.1 Classic.cmd	29
6.2 PasswordGenerator.cmd	29
6.3 Profiler.cmd	30
6.4 Zeitsparkasse.cmd	31
7: TuneUp	32
7.1 DefenderControl.cmd	32
8: Recovery Help	33

# 1: Backup

---

## 1.1 AutoBackupOFF.cmd

```
@echo off
::
::
::Information
::
::
echo -
echo This script will uninstall automatic data backup.
echo -
::
::
::Deinstallation
::
::
call ScriptCheck.cmd
SET KEY=HKCU\SOFTWARE\Microsoft\Windows\CurrentVersion\Run
reg delete %KEY% /v AutoBackup /f
IF %ERRORLEVEL% NEQ 0 exit %ERRORLEVEL%
echo -
echo Backup will be disabled with your next logon.
echo -
```

## 1.2 AutoBackupON.cmd

```
@echo off
::
::
::Settings
::
::
set     TIME= 100000
set SETTINGS= s=*documents tf30=*HD\*ARCH\*  tof5=*RD\*ARCH\*
::
::
::Information
::
::
echo -
echo This script installs automatic data backup
echo of the folder 'Documents'.
echo -
echo The backup will be repeated each %TIME% seconds.
```

```

echo The time counter will run only if the user is logged on!
echo -
:: _____
::
:::Installation
:: _____
::
call ScriptCheck.cmd
SET KEY=HKCU\SOFTWARE\Microsoft\Windows\CurrentVersion\Run
SET DAT=%RT%\c_e.exe -x %TIME% rtcmd.exe pb %SETTINGS%
reg add %KEY% /v AutoBackup /d "%DAT%" /f
IF %ERRORLEVEL% NEQ 0 exit %ERRORLEVEL%
echo -
echo Data backup will begin with your next logon.
echo -

```

### 1.3 BackupMyData.cmd

```

@echo off
:: This script will start the Private Backup wizard
:: for all of my data folders
SET TAR1=tf30=*HD\*ARCH\ tof5=*RD\*ARCH\
SET TAR2=tof5=*user\OneDrive\*ARCH\ tof30=*NET\*ARCH\
rtcmd pb -ol s=*documents %TAR1% %TAR2%
rtcmd pb -ol s=*desktop %TAR1% %TAR2%
rtcmd pb -ol s=*downloads %TAR1% %TAR2%
rtcmd pb -ol s=*pictures %TAR1% %TAR2%
rtcmd pb -ol s=*music %TAR1% %TAR2%
rtcmd pb -ol s=*videos %TAR1% %TAR2%

```

### 1.4 InterSave.cmd

```

@echo off
:: _____
::
:::Einstellungen
:: _____
::
set FTPUSER=paul.vorsichtig
set FTPPASSWORD=42upfhb6xza9
set FTPSERVER=people-ftp.freenet.de
set ZIPPASSWORD=8321tyau527w
:: _____
::
:::Information
:: _____
::
echo -
echo Dieses Script sichert den Ordner "data" Zip-Verschlusselt im Internet.
echo -
echo Das Archiv wird mit FTP (File Transfer Protokoll) uebertragen.
echo Der Internetprovider "Freenet" bietet kostenlos Speicherplatz fuer eine
echo Homepage, der hier genutzt wird.

```

```

echo Einzelne Archive duerfen z.Zt nicht groesser als 2 MB sein.
echo Andere Anbieter wie z.B. "Versatel" haben diese Einschraenkung nicht.
echo -
echo Mit dem Internet-Explorer und der Adresszeile
echo ftp://people-ftp.freenet.de kann das Archiv zurrueckkopiert und danach
echo wiederhergestellt werden.
echo -
echo Das Script funktioniert erst richtig, nachdem Sie Ihre persoentlichen
echo Kontodaten eingetragen haben.
echo -
::_____
::
::Ausfuehrung
::_____
::
call ScriptCheck.cmd
rtcmd pb -i p=%ZIPPASSWORD% s=*DOC\data
IF %ERRORLEVEL% NEQ 0 exit 1
echo %FTPUSER%> ftpscript.tmp
echo %FTPPASSWORD%>> ftpscript.tmp
echo binary>> ftpscript.tmp
echo put data.zip>> ftpscript.tmp
echo bye>> ftpscript.tmp
ftp -s:ftpscript.tmp %FTPSERVER%
del ftpscript.tmp
del data.zip

```

## 1.5 RestoreMyData.cmd

```

@echo off
:: This Script will start the Private Restore wizard
:: for each of my data folders
SET SRC1=s=*HD\*ARCH\* s=*RD\*ARCH\*
SET SRC=%SRC1% s=*user\OneDrive\*ARCH\* s=*NET\*ARCH\*
rtcmd pr -ol %SRC% t=*documents
rtcmd pr -ol %SRC% t=*desktop
rtcmd pr -ol %SRC% t=*downloads
rtcmd pr -ol %SRC% t=*pictures
rtcmd pr -ol %SRC% t=*music
rtcmd pr -ol %SRC% t=*videos

```

## 2: Computer

---

### 2.1 ActivAdmin.ps1

```
'::::::::::::::::::::: ActivAdmin.ps1 ::::::::::::::::::::::: '
'This script enables the built in administrator account which has no UAC'
'It must run with administrative rights.'
. ScriptCheck.cmd
If ($LastExitCode) {exit 0}
function GPw {
    param ($Ss)
    $NET          = [System.Runtime.InteropServices.Marshal]
    $Bs           = $NET::SecureStringToBSTR($Ss)
    return       $NET::PtrToStringAuto($Bs)
}
$Name           = Read-Host '      Admin Name'
while (1) {
    $Sp1         = Read-Host '      Password' -AsSecureString
    $Sp2         = Read-Host 'Repeat Password' -AsSecureString
    $Pt1         = GPw($Sp1)
    $Pt2         = GPw($Sp2)
    if ($Pt1 -eq '' -or $Pt2 -eq '') {exit 0}
    if ($Pt1 -eq $Pt2) {break }
    'Passwords are not identical'
}
Set-LocalUser   -Name "Administrator" -Password $Sp1
Enable-LocalUser -Name "Administrator"
Rename-LocalUser -Name "Administrator" -NewName $Name
```

### 2.2 AppControl.ps1

```
'::::::::::::::::::::: AppControl ::::::::::::::::::::::: '
'This script uninstalls selected store apps for all users'
'The script must run with administrative rights.'
. ScriptCheck.cmd
If ($LastExitCode) {exit 0}
Get-AppxPackage *MSTeams*          -AllUsers | Remove-AppxPackage -AllUsers
Get-AppxPackage *Bing*             -AllUsers | Remove-AppxPackage -AllUsers
Get-AppxPackage *Office*           -AllUsers | Remove-AppxPackage -AllUsers
Get-AppxPackage *WebExperience*    -AllUsers | Remove-AppxPackage -AllUsers
Get-AppxPackage *Outlook*         -AllUsers | Remove-AppxPackage -AllUsers
```

### 2.3 DeskTune.cmd

```
@echo off
```

```

echo :::::::::::::::::::: DeskTune ::::::::::::::::::::
echo This script is for power users and gamers.
echo It disables optional Desktop features.
echo The script must run with administrative rights.
call ScriptCheck.cmd
echo :::::::::::::::::::: DisableLogonBackgroundImage ::::::::::::::::::::
set KEY=HKLM\SOFTWARE\Policies\Microsoft\Windows\System
reg add "%KEY%" /v DisableLogonBackgroundImage/t REG_DWORD /d 1 /f
echo :::::::::::::::::::: Disable Widgets ::::::::::::::::::::
set KEY=HKLM\SOFTWARE\Policies\Microsoft\Dsh
reg add "%KEY%" /v AllowNewsAndInterests /t REG_DWORD /d 0 /f
echo :::::::::::::::::::: NoLockScreen ::::::::::::::::::::
set KEY=HKLM\SOFTWARE\Policies\Microsoft\Windows\Personalization
reg add "%KEY%" /v NoLockScreen/t REG_DWORD /d 1 /f
echo :::::::::::::::::::: DisableNotificationCenter ::::::::::::::::::::
set KEY=HKLM\SOFTWARE\Policies\Microsoft\Windows\Explorer
reg add "%KEY%" /v DisableNotificationCenter /t REG_DWORD /d 1 /f
echo :::::::::::::::::::: HideRecentlyAddedApps ::::::::::::::::::::
reg add "%KEY%" /v HideRecentlyAddedApps/t REG_DWORD /d 1 /f
echo :::::::::::::::::::: Disable PushNotifications ::::::::::::::::::::
set KEY=HKCU\Software\Microsoft\Windows\CurrentVersion\PushNotifications
reg add "%KEY%" /v ToastEnabled/t REG_DWORD /d 0 /f
echo :::::::::::::::::::: Disable Start Web Search ::::::::::::::::::::
set KEY=HKLM\SOFTWARE\Policies\Microsoft\Windows\Explorer
reg add "%KEY%" /v DisableSearchBoxSuggestions/t REG_DWORD /d 1 /f
echo :::::::::::::::::::: HidePeopleBar ::::::::::::::::::::
set KEY=HKCU\Software\Policies\Microsoft\Windows\Explorer
reg add "%KEY%" /v HidePeopleBar/t REG_DWORD /d 1 /f
echo :::::::::::::::::::: coercion screen ::::::::::::::::::::
set KEY=HKCU\Software\Microsoft\Windows\CurrentVersion\UserProfileEngagement
reg add "%KEY%" /v ScoobeSystemSettingEnabled/t REG_DWORD /d 0 /f
echo :::::::::::::::::::: reduce StartupDelay ::::::::::::::::::::
set KEY=HKCU\Software\Microsoft\Windows\CurrentVersion\Explorer\Serialize
reg add %KEY% /v "StartupDelayInMSec" /t REG_DWORD /d 0 /f >>NUL
echo :::::::::::::::::::: Disable Thread Input Manager ::::::::::::::::::::
set KEY=HKCU\Software\Microsoft\CTF
reg add %KEY% /v "Disable Thread Input Manager" /t REG_DWORD /d 1 /f >>NUL

```

## 2.4 InstallClean.cmd

```

@echo off
::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
::
::                               InstallClean.cmd
::
::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
::


---


::
::                               Information
::


---



```







```

reg add "%FCAP%" /v ".jpg" /d "PhotoViewer.FileAssoc.Tiff" /f
reg add "%FCAP%" /v ".jpeg" /d "PhotoViewer.FileAssoc.Tiff" /f
reg add "%FCAP%" /v ".jfif" /d "PhotoViewer.FileAssoc.Tiff" /f
reg add "%FCAP%" /v ".webp" /d "PhotoViewer.FileAssoc.Tiff" /f
reg add "%FCAP%" /v ".gif" /d "PhotoViewer.FileAssoc.Tiff" /f

```

## 2.7 RecoverySetup.cmd

```

@echo off
setlocal EnableDelayedExpansion
::
::
::
::
::
::
echo          - Recovery Setup and Window(R) To Go -
echo.
echo Configures a recovery environment (Recovery).
echo.
echo - The environment contains the Install-Restore Wizard,
echo   and an Explorer to start programs or a Console.
echo - The environment handles Bit Locker and Secure Boot.
echo - The start can be protected by a password.
echo - The environment inherits current drive letters.
echo.
echo Windows(R) or a recovery environment can start
echo from a USB drive while Secure Boot is enabled:
echo The USB drive must be prepared first.
echo Switch off your machine completely after this,
echo to reinitialize UEFI. Now you should be able to restore
echo a Windows(R) Image or create a recovery environment on it.
echo.
echo To start your machine from a USB drive,
echo hold down the shift key while clicking on reboot.
echo Alternatively you can hit F11 while your computer is booting.
echo.
echo Please enter a letter
echo or hit Return to abort:
echo Use capitals to activate password protection.
echo.
echo a Create or update Recovery.
echo b Start Recovery now.
echo c Auto-recovery: Start Recovery and restore the latest image.
echo d Uninstall Recovery.
echo e Prepare USB drive for Recovery or Windows To Go.
echo f Select a drive and create Recovery on it.
::
::
::
::
::
set     INPUT=dummy
set     LETTER=dummy
set /P INPUT=

```

```

::..... recovery on .....
if %INPUT% equ a (
    rtcmd recovery on -n
    exit !ERRORLEVEL!
)
if %INPUT% equ A (
    rtcmd recovery on -n -p
    exit !ERRORLEVEL!
)
::..... recovery start .....
if %INPUT% equ b (
    c_e * c_e -xs rtcmd recovery start
    exit 99
)
if %INPUT% equ B (
    c_e * c_e -xs rtcmd recovery start -p
    exit 99
)
::..... autorecovery .....
if %INPUT% equ c (
    c_e * c_e -xs rtcmd autorecovery
    exit 99
)
if %INPUT% equ C (
    c_e * c_e -xs rtcmd autorecovery -p
    exit 99
)
::..... recovery off .....
if %INPUT% equ d (
    rtcmd recovery off
    exit !ERRORLEVEL!
)
::..... prepare .....
if %INPUT% equ e (
    call :getletter
    rtcmd prepare !LETTER!: -u
    exit !ERRORLEVEL!
)
::..... recovery to go .....
if %INPUT% equ f (
    call :getletter
    rtcmd recovery on !LETTER!: -u
    exit !ERRORLEVEL!
)
if %INPUT% equ F (
    call :getletter
    rtcmd recovery on !LETTER!: -u -p
    exit !ERRORLEVEL!
)
::..... abort .....
echo script aborted
exit 0
::
::
::

```

---

Sub

```

::
:_____
:getletter
echo Please enter the drive letter
set /P LETTER=
set TST=%LETTER:~1%
if DEFINED TST (
    echo Input is wrong
    exit 1
)
goto :eof

```

## 2.8 RenamePc.ps1

```

'::::::::::::::::::::: RenamePc.ps1 :::::::::::::::::::::::'
'This script renames the local PC and restarts it'
. ScriptCheck.cmd
If ($LastExitCode) {exit 0}
$NAME = (Read-Host "Pc Name")
Rename-Computer -NewName $NAME -Restart

```

## 2.9 TuneUp.cmd

```

@echo off
echo ::::::::::::::: TuneUp :::::::::::::::
echo This script is for power users and gamers. It disables rarely used
echo compnents to speed up and to reduce network traffic.
echo Most setting are from the 'Microsoft Windows Restricted Traffic package'.
echo The script must run with administrative rights.
call ScriptCheck.cmd
echo ::::::::::::::: Disable Services :::::::::::::::
rtcmd disabled "SSDPSRV" Simple Service Discovery Protocol
rtcmd disabled "WPDBusEnum" Windows Portable Device Bus Enum
rtcmd disabled "WerSvc" Windows Error Reporting
rtcmd disabled "WSearch" Windows Search
rtcmd disabled "DiagTrack" Connected User Experiences and Telemetry
rtcmd disabled "PcaSvc" Program Compatibility Assistant
rtcmd disabled "DPS" Device Provisioning
rtcmd disabled SecurityHealthService
rtcmd disabled lfsvc Geolocation
rtcmd disabled WaaSMedicSvc Windows Update Medic
rtcmd disabled SEMgrSvc Payments and Near Field Communication
echo ::::::::::::::: Services on Demand :::::::::::::::
rtcmd demand "AMD External Events Utility"
rtcmd demand "TrkWks" Distributed Link Tracking
rtcmd demand "MapsBroker" Downloaded Maps Manager
rtcmd demand "OneSyncSvc" synchronizes mail, contacts, calendar
echo ::::::::::::::: Services auto start :::::::::::::::
rtcmd auto FDResPub Network Publication
echo ::::::::::::::: Registry Local Machine :::::::::::::::
echo ----- disable SystemRestore -----
:: off by default but switched on by vc_redist
set KEY=HKLM\Software\Policies\Microsoft\Windows NT\SystemRestore
reg add "%KEY%" /v DisableSR /t REG_DWORD /d 1 /f >>NUL

```

```

echo ----- disable SmartScreen -----
set KEY=HKLM\Software\Policies\Microsoft\Windows\System
reg add "%KEY%" /v EnableSmartScreen /t REG_DWORD /d 0 /f >>NUL
set KEY=HKLM\Software\Policies\Microsoft\MicrosoftEdge\PhishingFilter
reg add "%KEY%" /v EnabledV9 /t REG_DWORD /d 0 /f >>NUL
echo ----- disable CI (very slow on W24H2) -----
set KEY=HKLM\SYSTEM\CurrentControlSet\Control\CI\Policy
reg add "%KEY%" /v VerifiedAndReputablePolicyState /t REG_DWORD /d 0 /f >>NUL
echo ----- disable Cortana Web -----
set KEY=HKLM\Software\Policies\Microsoft\Windows\Windows Search
reg add "%KEY%" /v AllowCortana /t REG_DWORD /d 0 /f >>NUL
reg add "%KEY%" /v DisableWebSearch /t REG_DWORD /d 1 /f >>NUL
reg add "%KEY%" /v EnableDynamicContentInWSB /t REG_DWORD /d 0 /f >>NUL
echo ----- disable AppsRunInBackground -----
set KEY=HKLM\Software\Policies\Microsoft\Windows\AppPrivacy
reg add "%KEY%" /v LetAppsRunInBackground /t REG_DWORD /d 2 /f >>NUL
echo ----- disable Advertising ID -----
set KEY=HKLM\Software\Policies\Microsoft\Windows\AdvertisingInfo
reg add "%KEY%" /v DisabledByGroupPolicy /t REG_DWORD /d 1 /f >>NUL
echo ----- prevent BitLocker -----
set KEY=HKLM\SYSTEM\CurrentControlSet\Control\BitLocker
reg add "%KEY%" /v PreventDeviceEncryption /t REG_DWORD /d 1 /f >>NUL
echo :::::::::::::::::::: Autostart LocalMachine ::::::::::::::::::::
:: see Microsoft\Windows\CurrentVersion\Explorer\StartupApproved\Run
set TUNE=call :autostart
set KEY=HKLM\Software\Microsoft\Windows\CurrentVersion\Run
::----- XP -----
%TUNE% "Logitech Utility"
%TUNE% "RTHDCPL"
%TUNE% "SkyTel"
%TUNE% "Alcmtr"
%TUNE% "Adobe Reader Speed Launcher"
%TUNE% "Adobe ARM"
::----- Vista -----
%TUNE% "Windows Defender"
::----- W10 -----
%TUNE% "SecurityHealth"
echo :::::::::::::::::::: Autostart LocalMachine WOW ::::::::::::::::::::
set KEY=HKLM\Software\WOW6432Node\Microsoft\Windows\CurrentVersion\Run
%TUNE% "StartCCC"
%TUNE% "Adobe ARM"
echo :::::::::::::::::::: Autostart CurrentUser ::::::::::::::::::::
set KEY=HKCU\Software\Microsoft\Windows\CurrentVersion\Run
::----- XP -----
%TUNE% "msmsgs"
%TUNE% "CTFMON.EXE"
::----- Vista -----
%TUNE% "Sidebar"
::----- W10 -----
%TUNE% "OneDrive"
echo :::::::::::::::::::: Reset Prefetch ::::::::::::::::::::
rtcmd stop SysMain
rtcmd clean tree %SYSTEMROOT%\Prefetch
echo :::::::::::::::::::: disable all Scheduled Tasks a priori ::::::::::::::::::::
:: we are forced to run this in system account due to access restriction

```

```

c_e -xp \\ rtcmd unschedule microsoft
echo :::::::::::::::::::: enable selected Scheduled Tasks ::::::::::::::::::::
set TUNE=call :tenable
echo ----- ProactiveScan -----
%TUNE% "\microsoft\Windows\Chkdsk\ProactiveScan"
echo ----- MsCtfMonitor -----
:: disabling this slows down console in Vista
%TUNE% "\microsoft\Windows\TextServicesFramework\MsCtfMonitor"
echo ----- SynchronizeTime -----
%TUNE% "\microsoft\Windows\Time Synchronization\SynchronizeTime"
echo :::::::::::::::::::: Restart this machine to apply settings! ::::::::::::::::::::
goto :eof
::
::
::
::
::
:autostart
reg delete %KEY% /v %1 /f                                2>NUL    >>NUL
if %%ERRORLEVEL%% EQU 0 (echo %1)
goto :eof
:tenable
schtasks /change /TN %1 /ENABLE                          2>NUL    >>NUL
if %%ERRORLEVEL%% EQU 0 (echo %1)
goto :eof

```

## 2.10 UpdateControl.ps1

```

':::::::::::::::::: UpdateControl.ps1 ::::::::::::::::::::'
'This script disables automatic updates for Windows, Store and Edge.'
'It must run with administrative rights.'
. ScriptCheck.cmd
If ($LastExitCode) {exit 0}
'----- Set_max_days_to_pause_Windows_Updates_to_20_years -----'
'based on Shawn Brink'
'elevenforum.com/t/disable-automatic-windows-updates-in-windows-11.22669/'
$KEY='HKLM\SOFTWARE\Microsoft\WindowsUpdate\UX\Settings'
reg add $KEY /v FlightSettingsMaxPauseDays /t REG_DWORD /d 7300 /f
'----- Store -----'
$KEY='HKLM\SOFTWARE\Policies\Microsoft\WindowsStore'
reg add $KEY /v AutoDownload /t REG_DWORD /d 2 /f
'----- edge -----'
rtcmd disabled edgeupdate
rtcmd disabled edgeupdatem
Get-ScheduledTask *edge* | Disable-ScheduledTask
'-----'
'Use "Settings->Windows Update->Delay" to delay Windows update'

```

## 3: ContextMenu

---

### 3.1 AdminTools.cmd

```
@echo off
::
::
::
::
::
::
set INPUT=%1
if DEFINED INPUT goto main
echo.
echo This script creates an entry in the kontekst menu of remote machines.
echo The menu will show nice icons.
echo.
echo Beginning with Windows 8 administrators do not have
echo a personal context menu.
echo.
echo The entry has the following sub menus:
echo 1. Tasklist, shows running processes
echo 2. Shutdown
echo 3. Activate user account
echo 4. Deactivate user account
echo 5. Explorer on C$
echo 6. WLAN Info
echo 7. Scheduled Tasks
echo.
::
::
::
::
::
::
echo Input:
echo +a      Setup all users
echo -a      Remove all users
echo +u      Setup current user
echo -u      Remove current user
echo.
set      INPUT=dummy
set /P INPUT=
::
::
::
::
::
::
:main
set PRINT=Abort
```





```

)
if %INPUT% equ +u (
    set PRINT=Entries for the current user have been created
    call :Setup HKCU su
)
if %INPUT% equ -a (
    set PRINT=Entries for all users have been removed
    call :Clear HKLM sm
)
if %INPUT% equ -u (
    set PRINT=Entries for the current user have been removed
    call :Clear HKCU su
)
echo.
echo %PRINT%
exit /B 0
:----- Setup -----

#define PRAL"c_e -x rtcmd pr -o4 s=\"*PATH\" t="
/* wir wissen nicht ob wir ein Archiv von einem Drive oder Ordner haben*/
/* Mit nsis und ASELECT gab es berlegungen fr ein Doppelme mit admin*/
{PRA,L"Archiv",L"Private-Restore",L"c_e.exe",8,0,1},

:setup
set TARGET=tf5=*HD\*ARCH\* tof5=*NET\*ARCH\* to=*RD\*ARCH\* to=*CD\*ARCH\*
set SOURCE=s=*HD\*ARCH\* s=*NET\*ARCH\* s=*RD\*ARCH\* s=*CD\*ARCH\*
call :SetupSub "%1\%IBACK%" 9 "c_e -x rtcmd ib -o7x %TARGET%"
call :SetupSub "%1\%IREST%" 10 "c_e -x rtcmd ir -o8x t= %SOURCE%"
call :SetupSub "%1\%PBACK%" 7 "c_e -x rtcmd pb -o7x s=\"*PATH\" %TARGET%"
call :SetupSub "%1\%PBACKD%" 7 "c_e -x rtcmd pb -o8ax s=\"*PATH\" %TARGET%"
call :SetupSub "%1\%PREST%" 8 "c_e -x rtcmd pr -o7x %SOURCE% t=\"*PATH\""
call :SetupSub "%1\%PRESTD%" 8 "c_e -x rtcmd pr -o8ax %SOURCE% t=\"*PATH\""
call :SetupSub "%1\%PRESTA%" 8 "c_e -x rtcmd pr -o9x s=\"*PATH\" t="
RtCmd rclick %2%
goto :eof
:----- SetupSub -----
:SetupSub
echo setup: %1
reg add %1 /ve /d %3 /f
%EC%
reg add %1 /v IconFile /d "c_e.exe" /f
%EC%
reg add %1 /v IconIndex /t REG_DWORD /d %2 /f
%EC%
echo.
goto :eof
:----- Clear -----
:Clear
call :ClearSub "%1\%IBACK%"
call :ClearSub "%1\%IREST%"
call :ClearSub "%1\%PBACK%"
call :ClearSub "%1\%PBACKD%"
call :ClearSub "%1\%PREST%"

```

```

call :ClearSub "%1\%PRESTD%"
call :ClearSub "%1\%PRESTA%"
RtCmd rclick %2%
%EC%
goto :eof
:----- ClearSub -----
:ClearSub
echo remove: %1
reg delete %1 /f
echo.
goto :eof

```

### 3.3 ListDirectory.cmd

```

@echo off
:-----
:-----
::Help
:-----
:-----
set INPUT=%1
if DEFINED INPUT goto main
echo.
echo This script creates an entry in the kontext menu of
echo directories and drives.
echo.
echo It allows to make sorted lists of the content.
echo The lists will include hidden and system files.
echo The menu will show nice icons.
echo.
echo Beginning with Windows 8 administrators do not have
echo a personal context menu.
echo.
echo The entry has the following sub menus:
echo 1. Sort by name
echo 2. Sort by last modified
echo 3. Sort by size
echo 4. Sort by extension
echo 5. Show only Hard-Links and Reparse-Points
echo 6. Sort by last access
echo 7. Show Process Trust Labels
echo 8. Show Alternate Data Streams
echo.
echo Input:
echo +a      Setup all users
echo -a      Remove all users
echo +u      Setup current user
echo -u      Remove current user
echo.
set INPUT=dummy
set /P INPUT=
:-----
:-----

```

```

::Main
::
:main
set PRINT=Abort
set SUBDIR=Software\Reuschtools\RClick\Directory\List Directory
set SUBDRIVE=Software\Reuschtools\RClick\Drive\List Directory
if %INPUT% equ +a (
set PRINT=Entry for all users has been created
call :setup HKLM sm
)
if %INPUT% equ +u (
set PRINT=Entry for the current user been created
call :setup HKCU su
)
if %INPUT% equ -a (
set PRINT=Entry for all users has been removed
reg delete "HKLM\%SUBDIR%" /f
reg delete "HKLM\%SUBDRIVE%" /f
RtCmd rclick sm
)
if %INPUT% equ -u (
set PRINT=Entry for the current user been removed
reg delete "HKCU\%SUBDIR%" /f
reg delete "HKCU\%SUBDRIVE%" /f
RtCmd rclick su
)
echo.
echo %PRINT%
exit /B 0
::
::
::Setup
::
:setup
set DIR=%1\%SUBDIR%
::::::::::::::::::::::::::::: Main Entry :::::::::::::::::::::::::::::::
reg add "%DIR%" /v IconFile /d "shell32.dll" /f
reg add "%DIR%" /v IconId /t REG_DWORD /d 23 /f
::::::::::::::::::::::::::::: Sub Entries :::::::::::::::::::::::::::::::
call :sub "%DIR%\Sort by Name" -n 155 1
call :sub "%DIR%\Sort by Time" -t 21 2
call :sub "%DIR%\Sort by Size" -s 29 3
call :sub "%DIR%\Sort by Type" -e 156 4
call :sub "%DIR%\Hardlinks" -h 154 5
call :sub "%DIR%\Sort by last access" -a 177 6
call :sub "%DIR%\Process Trust Label" -p 48 7
call :sub "%DIR%\Alternate Data Streams" -x 200 8
:::::::::::::::::::::::::::::
reg copy "%DIR%" "%1\%SUBDRIVE%" /s /f
RtCmd rclick %2%
goto :eof
::
::
::
Sub

```



```

%EC%
echo.
echo :::::::::::::::::::: Success ::::::::::::::::::::
echo.
echo %MESSI%

```

### 3.5 UnPack.cmd

```

@echo off
echo -
echo Dieses Script registriert typische Unix Archive (.bz2, .tar, .gz, .tgz),
echo sodass diese mit einem Klick entpackt werden koennen.
echo -
echo Fuer die korrekte Funktion sollten folgende Dateien
echo in das Windows(R) Verzeichnis kopiert werden:
echo     bzip2.exe
echo     tar.exe
echo     gzip.exe
echo -
echo Das Script muss mit den Rechten eines Administrators ausgefuehrt werden.
echo -
call ScriptCheck.cmd
:: _____
::
:: .bz2
:: _____
reg add HKCR\.bz2 /ve /d bz2file /f
set CMD=%RT%\c_e -xp bzip2.exe -d \"%%1\"
reg add HKCR\bz2file\Shell\extract\command /ve /d "%CMD%" /f
:: _____
::
:: .tar
:: _____
reg add HKCR\.tar /ve /d tarfile /f
set CMD=%RT%\c_e -xp tar.exe -xf \"%%1\"
reg add HKCR\tarfile\Shell\extract\command /ve /d "%CMD%" /f
:: _____
::
:: .gz, .tgz
:: _____
reg add HKCR\.gz /ve /d gzip /f
reg add HKCR\.tgz /ve /d gzip /f
set CMD=%RT%\c_e -xp gzip.exe -d \"%%1\"
reg add HKCR\gzip\Shell\extract\command /ve /d "%CMD%" /f

```

### 3.6 ZipInfoRemove.cmd

```

set KEY=HKLM\Software\Reushtools\RClick\Archiv\ZipInfo
reg delete %KEY% /f
RtCmd rclick sm

```

## 3.7 ZipInfoSet.cmd

```
set KEY=HKLM\Software\Reushtools\RClick\Archiv\ZipInfo
set CMD=c_a.exe -xp rtcmd zinfo \"*PATH\"
reg add %KEY% /ve /d "%CMD%" /f
reg add %KEY% /v IconFile /d shell32.dll /f
reg add %KEY% /v IconID /t REG_DWORD /d 1001 /f
RtCmd rclick sm
```

## 4: EfsKey

---

### 4.1 EfsKeyImport.cmd

```
@echo off
::
::
::Information
::
::
echo -
echo Dieses Script importiert einen gesicherten EFS (Encryting File System)
echo Schluessel in das Konto des aktuellen Benutzers. Beim Import kann
echo festgelegt werden, ob der Schluessel erneut exportiert werden darf.
echo -
::
::
::Einstellungen
::
::
set SRC=s=*HD\*ARCH\* s=*NET\*ARCH\* s=*CD\*ARCH\* s=*RD\*ARCH\*
::
::
::Ausfuehrung
::
::
call ScriptCheck.cmd
cd /D %USERPROFILE%
md Efs_Key
rtcmd pr -o t=EFS_Key %SRC%
start Efs_Key\Key.pfx
pause
del EFS_Key\Key.pfx
rd EFS_Key
```

### 4.2 EfsKeySave.cmd

```
@echo off
::
::
::Information
::
::
echo -
echo Dieses Script sichert den EFS (Encryting File System) Schluessel
echo des aktuellen Benutzers. Der Schluessel kann in andere Rechner
echo importiert werden, um EFS verschluesselte Dateien oder Archive zu lesen.
```

```

echo -
echo Zusaetzlich wird der EFS Schluessel mit Console-Editor geoeffnet.
echo Sie koennen diesen dann ausdrucken und im Notfall vom Papier
echo wiederherstellen.
echo -
::
::
::Einstellungen
::
::
set TAR=tof5=*HD\*ARCH\* tof5=*NET\*ARCH\* to=*CD\*ARCH\* tof5=*RD\*ARCH\*
::
::
::Ausfuehrung
::
::
call ScriptCheck.cmd
cd /D %USERPROFILE%
md Efs_Key
cipher /X EFS_Key\Key.pfx
IF NOT EXIST EFS_Key\Key.pfx (
echo Der Schluessel konnte nicht gesichert werden,
echo vermutlich wurde dies beim Import verboten
goto CleanUp
)
rtcmd pb -ko s=EFS_Key %TAR%
echo -
echo Was man schwarz auf weiss hat ist immer noch sicherer.
echo Bitte drucken Sie deshalb jetzt ihren Schluessel aus.
echo -
pause
c_e-br EFS_Key\Key.pfx
del EFS_Key\Key.pfx
:CleanUp
rd EFS_Key

```

# 5: Lazy

---

## 5.1 TeaTime.bat

```
@echo off
:: _____
::
::Tea Time
:: _____
::
echo -
echo Dieses Script wartet 5 Minuten bis Ihr Tee fertig ist
echo und startet ein akustisches Signal.
echo -
FOR /L %%I IN (300,-1,0) DO (
rtcmd sleep 1 >>NUL
echo %%I seconds to teatime!
)
start %SystemRoot%\media\ding.wav
```

## 6: User

---

### 6.1 Classic.cmd

```
.....: Classic.cmd .....:
:: This script has been generated by 'rtcmd classic script'
:: from the current user's desktop settings.
:: It can run each time a user logs on because it has
:: no impact as long as no settings are changed.
    rtcmd classic ^
    ClassicContextMenu=1 ^
        NoMenuAnimation=1 ^
NoComboBoxAnimation=1 ^
        NoDropShadow=1 ^
    NoControlAnimation=1 ^
        NoDragFullWindows=1 ^
    NoWindowsAnimation=1 ^
        NoDeskFontShadow=1 ^
        NoTaskbarSearch=1 ^
        NoAppleTaskbar=1 ^
NoTaskbarViewButton=1 ^
        AutoHideTaskbar=1 ^
TrayIconUsbBluetooth=1 ^
QuickStartDocuments=1 ^
QuickStartDownloads=1 ^
    QuickStartMusic=1 ^
    QuickStartPictures=1 ^
    QuickStartExplorer=1 ^
    QuickStartSettings=1 ^
        DeskIconComputer=1 ^
        DeskIconControl=1 ^
        DeskIconUser=1 ^
        DeskIconRecycler=1 ^
        OneClickToRun=1 ^
            SolidDesk=1 ^
            LogonSpeedUp=1 ^
            TextScaleUp=1 ^
    ShowFileExtensions=0 ^
        ShowAllObjects=0 ^
        ShowSuperHidden=0
```

### 6.2 PasswordGenerator.cmd

```
@echo off
echo -
echo This script generates random 16-digit passwords,
```

```

echo suitable for user accounts or zip encryption.
echo -
call ScriptCheck.cmd
start rtcmd password

```

### 6.3 Profiler.cmd

```

@echo off
echo :::::::::::::::::::: Profiler ::::::::::::::::::::
echo This script helps to exclude individual folders
echo from Install-Backup and -Restore.
echo.
echo With the execution of this script, an entry is created in the folder menu.
echo Then the personal Roaming folder will be opened.
echo.
echo To redirect a folder, right-click after the execution of this script
echo on a folder and select "Profiler".
echo.
echo Firefox:      Roaming\Mozilla\Firefox
echo Thunderbird: Roaming\Thunderbird
echo ::::::::::::::::::::
echo.
echo y:      Profiler menu-entry will be created
echo          and the Roaming folder will be opened.
echo.
echo ENTER: Profiler entry will be removed.
echo.
set      INPUT=dummy
set /P INPUT=
::
::
::          Write Entry
::


---


set RCLICK="HKCU\Software\Reuschtools\Rclick\Directory\Profiler"
set      CMD=c_u.exe -xp \"%PATH%\" rtcmd profiler
if %INPUT% equ y (
    reg add %RCLICK% /ve                /d "%CMD%"                /f
    reg add %RCLICK% /v IconFile        /d "shell32.dll"          /f
    reg add %RCLICK% /v IconId          /t REG_DWORD            /d 36                    /f
    set MESSI=Profiler entry has been written into the context-menu.
    explorer "%APPDATA%"
    goto setup
)
::
::
::          Remove Entry
::


---


reg delete %RCLICK% /f
set MESSI=Profiler entry has been removed from the context-menu.
::
::
::          Setup
::


---


:setup

```

```
RtCmd rclick su
echo ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
echo.
echo %MESSI%
```

## 6.4 Zeitsparkasse.cmd

```
@echo off
::-----
::
::Zeitsparkasse
::-----
::
echo -
echo Dieses Script installiert die Zeitsparkasse.
echo -
echo Um die Zeitsparkasse zu deaktivieren druecken Sie die Eingabetaste.
echo -
echo Mit der Zeitsparkasse wird taeglich die angegebene Computerzeit angespart.
echo Der Benutzer kann diese Zeit bei Bedarf verbrauchen.
echo Ist die angesparte Zeit verbraucht wird der Rechner ausgeschaltet.
echo -
echo Bitte beachten Sie, dass auch an Tagen an denen
echo der Rechner aus bleibt Zeit angespart wird.
echo -
echo Wieviele Sekunden sollen taeglich angespart werden,
echo z.B. 1800 fuer eine halbe Stunde?
set /P SPAR=
::-----
::
::Ausfuehrung
::-----
::
SET KEY=HKCU\SOFTWARE\Microsoft\Windows\CurrentVersion\Run
if NOT DEFINED SPAR (
reg delete %KEY% /v Zeitsparkasse /f
IF %ERRORLEVEL% NEQ 0 exit %ERRORLEVEL%
echo -
echo Die Zeitsparkasse ist ab der naechten Anmeldung deaktiviert.
exit /B 0
)
SET DAT=%RT%\c_e.exe -ht T%SPAR%
reg add %KEY% /v Zeitsparkasse /d "%DAT%" /f
IF %ERRORLEVEL% NEQ 0 exit %ERRORLEVEL%
echo -
echo Die Zeitsparkasse ist ab der naechten Anmeldung mit %SPAR% Sekunden aktiviert.
```

## 7: TuneUp

---

### 7.1 DefenderControl.cmd

```
@echo off
::  !!!! This script is banned by some AVs
::  !!!! It is excluded from the Installer
::  !!!! You need to copy it from here
echo :::::::::::::::::::::: DefenderControl ::::::::::::::::::::::::::::
echo This script disables the defender. It is not recommended
echo to disable the Defender even if it slows down the system.
echo The defender is good for you because it detects bad viruses from
echo deep inside the PC and it sends suspicious files to MS to be analysed.
echo The defender is therefore heavily protected.
echo The script must run with administrative rights.
echo - run 'rtcmd early off' and reboot
echo - disable 'Tamper Protection' in the security center
echo - run this script and reboot
echo - run this script again and reboot
echo - verify if the WinDefend service has stopped. Repeat the last step if not.
call ScriptCheck.cmd
echo ----- disable Defender -----
set KEY=HKLM\SOFTWARE\Policies\Microsoft\Windows Defender
reg add "%KEY%" /v "DisableAntiSpyware" /t REG_DWORD /d 1 /f >>NUL
set KEY=HKLM\Software\Policies\Microsoft\Windows Defender\Real-Time Protection
reg add "%KEY%" /v DisableBehaviorMonitoring /t REG_DWORD /d 1 /f >>NUL
reg add "%KEY%" /v DisableOnAccessProtection /t REG_DWORD /d 1 /f >>NUL
reg add "%KEY%" /v DisableScanOnRealtimeEnable /t REG_DWORD /d 1 /f >>NUL
echo :::::::::::::::::::::: WinDefend Service ::::::::::::::::::::::::::::
:: access denied before registry switch off
rtcmd disabled "WinDefend" Windows-Defender
```

## 8: Recovery Help

---

- Recovery Help -

This file is integrated into the Reuschtools recovery environment.

### TreeExplorer

Shows all folders and files in hierarchical view.

Use the context menu to access many functions:

- Partitioning drives
- Copy or mirror drives or folders
- Show or remove hidden files
- Reinstall Windows(R)
- ...

### InstallRestore

Resets Windows(R), programs and settings  
back to the time of a InstallBackup.